OFFICE OF NAVAL RESEARCH

CONTRACT N00014-97-1-0066

R&T Code 33e 1806

Dr. Richard S. Miller

Technical Report No. 97

COMPUTED HEATS OF FORMATION OF THREE TETRAAZAPENTALENES, A TRIS(NITROTRIAZOLO)TRIAZINE, AND A TRICYCLIC GEM-DIFLUORAMINO/TETRANITRAMINE

by

Peter Politzer, M. Edward Grice and Jane S. Murray

Department of Chemistry University of New Orleans New Orleans, LA 70148

November 14, 1996

Reproduction in whole or in part is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

19961218 067

DTIC QUALITY INSPECTED 1

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, 74, 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave plank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED November 14, 1996 Technical Report 4. TITLE AND SUBTITLE 5. FUNDING NUMBERS Computed Heats of Formation of Three Tetraazapentalenes, A N00014-97-1-0066 Tris(nitrotriazolo)triazine, and a Tricylci Gem-difluoramino/tetranitramine Dr. Richard S. Miller 6. AUTHOR(S) Peter Politzer, M. Edward Grice and Jane S. Murray R&T Code 33e 1806 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER University of New Orleans Department of Chemistry 97 New Orleans, Louisiana 70148 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING/MONITORING AGENCY REPORT NUMBER Office of Naval Research Code 333 800 N. Quincy Street Arlington, VA 22217 11. SUPPLEMENTARY NOTES

12a, DISTRIBUTION / AVAILABILITY STATEMENT

1 12b. DISTRIBUTION CODE

Approved for public release. Unlimited distribution.

13. ABSTRACT (Maximum 200 words)

Computed heats of formation for 1 - 5.

1: ΔH_f^{298K} (solid) = 114 kcal/mole = 573 cal/g

4: ΔH_f^{298K} (solid) = 225 kcal/mole = 668 cal/g

2: ΔH_f^{298K} (solid) = 91 kcal/mole = 400 cal/g

5: ΔH_f^{298K} (solid) = 9 kcal/mole = 16 cal/g

3: ΔH_f^{298K} (solid) = 141 kcal/mole = 489 cal/g

14. SUBJECT TERMS 15. NUMBER OF PAGES heats of formation; tetraazapentalenes; tris(nitrotriazolo)triazine; tricyclic gem-difluoramino/tetranitramine 16. PRICE CODE 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT OF REPORT OF THIS PAGE OF ABSTRACT Unclassified Unclassified Unclassified Unlimited

We have used our density functional procedure [1] to compute the heats of formation of the compounds 1 - 5, proposed by W. Koppes and A. Stern (ONR). The vibrational energies were determined from the molecular stoichiometries [2]. The density functional calculations give the gas phase heat of formation, which we convert to the solid state value by subtracting the heat of sublimation. The latter is obtained by means of the relationship that we have developed between the heat of sublimation and the computed electrostatic potential on the molecular surface [3].

Results:

$$\Delta H_f^{298K} \, (gas) = 138 \; kcal/mole = 694 \; cal/g$$

$$\Delta H_f^{298K} \, (solid) = 114 \; kcal/mole = 573 \; cal/g$$

$$\Delta H_{\rm f}^{298{
m K}}$$
 (gas) = 120 kcal/mole = 526 cal/g
 $\Delta H_{\rm f}^{298{
m K}}$ (solid) = 91 kcal/mole = 400 cal/g

$$O_2N \longrightarrow \bigvee_{NO_2}^{N-N} \bigvee_{N}^{NO_2} NO_2$$

$$\Delta H_f^{298K} \, (gas) = 172 \; kcal/mole = 597 \; cal/g$$

$$\Delta H_f^{298K} \, (solid) = 141 \; kcal/mole = 489 \; cal/g$$

$$\Delta H_{\rm f}^{298\rm K}$$
 (gas) = 266 kcal/mole = 790 cal/g
 $\Delta H_{\rm f}^{298\rm K}$ (solid) = 225 kcal/mole = 668 cal/g

5
$$\begin{array}{c|c}
O_2N & F_2N & NF_2 & NO_2 \\
N & & & N & NP_2 & NO_2 \\
N & & & & N & NP_2 & NO_2 \\
O_2N & & & & & NP_2 & NO_2
\end{array}$$

$$\Delta H_{\rm f}^{298\rm K}$$
 (gas) = 63 kcal/mole = 114 cal/g $\Delta H_{\rm f}^{298\rm K}$ (solid) = 9 kcal/mole = 16 cal/g

For comparison, the experimental gas phase ΔH_f^{298K} value for RDX is 206 cal/g [4,5].

References:

- 1. D. Habibollahzadeh, M. E. Grice, M. C. Concha, J. S. Murray and P. Politzer, J. Comp. Chem. 16, 654 (1995).
- 2. M. E. Grice and P. Politzer, Chem. Phys. Lett. 244, 295 (1995).
- 3. M. DeSalvo, E. Miller, J. S. Murray and P. Politzer, unpublished work.
- 4. D. R. Stull, E. F. Westrum and G. C. Sinke, *The Chemical Thermodynamics of Organic Compounds*, Wiley, New York, 1969.
- 5. J. M. Rosen and C. Dickinson, J. Chem. Eng. Data 14, 120 (1969).